


DOE Bioenergy Technologies Office (BETO) 2023 Project Peer Review

Integration of CO<sub>2</sub> Electrolysis with MicrobialSyngas Upgrading to Rewire the Carbon Economy

April 6, 2023
CO<sub>2</sub> Conversion Session
Michael G. Resch - Principal Investigator
NREL

# **Project Overview**



 Improve electrolyzer robustness to industrial flue gas components, carbon and energy efficiency.

- Improve molecular biology tools and flux to mevalonic acid
- Evolve strains via ALE and directed strain engineering
- Integrate system to demonstrate the process of converting CO<sub>2</sub> into fuels and chemicals
- Identify two near term industrial sites with low cost electrical and CO<sub>2</sub> feedstocks



# Project Goals

Increase the efficiency and durability of CO<sub>2</sub> conversion through electrolysis and syngas fermentation.

#### **Outcomes**

- 1. Reduce CO<sub>2</sub> membrane crossover by 20% in a MEA CO<sub>2</sub> electrolyzer.
- 2. Identify at least 2 near term sites with low carbon electricity and low-cost CO<sub>2</sub> feedstocks to identify opportunities to integrate this technology at scale.
- 3. Increase the carbon conversion efficiency from CO, H2 and CO2 into ethanol and mevolnic acid by at least 20%.

# 1. Approach - Project Management















Task 1 - Liu (DM)

CO<sub>2</sub> Electrolyzer performance improvement

#### Task 2 - Guarnieri

Gas fermentation strain optimization and tool development

#### Task 3 - Resch

Analysis and integration of CO<sub>2</sub> electrolysis with gas fermentation


- Bi-weekly Project Meetings
- Molecular Biology specific meetings monthly

- Bi-monthly Working Groups
   E-COWG, B-COWG, A-COWG
- Site Visits with industrial partners




## 1. Approach – Research Focus Key Cost Drivers





# 1. Electrochemical CO<sub>2</sub> Reduction Gaps







# 1. Flue Gas Components to Test on Electrolyzers




Component s	[High] CO <sub>2</sub> Flue gas	Electrolyzer Testing Conditions	Results
CO <sub>2</sub>	99%+	14-100%	
VOC	< 1000 ppm (combined)		
Acetic Acid	N.D.	100+ hrs.	OK up to 500 ppm
Acetone	0.6	100+ hrs.	OK up to 500 ppm
VSC	< 10 ppm (combined)		
Hydrogen Sulfide	2.3	0-50 ppm	Decrease @ 3 ppm
Methyl mercaptan	0.1	0-10 ppm	Decrease @ 2 ppm



## 1. Waste Gas Compositions for Fermentation



	H <sub>2</sub>	СО	CO <sub>2</sub>	N <sub>2</sub>	ALE
High CO	2%	65%	33%	0%	О
Low CO	10%	45%	23%	22%	О
High H <sub>2</sub>	50%	10%	30%	10%	Х
SMOG	5%	55%	30%	10%	х
Syngas	30%	30%	30%	10%	х







**High H2 gas**: refinery off-gas.

## 1. Electrolyzer Integration with Gas Fermenter










#### Construction of de novo Mevalonate biosensor

#### Why Mevalonic Acid?

- Flexibility in feedstocks and end products beyond ethanol such as isopropyl alcohol, acetone, and mevalonate
- •Mevalonate is the precursor for high value chemicals such as isoprene as a key ingredient for synthetic rubber.
- •US has no domestic source of rubber, biomanufacturing will play a growing role in our domestic independence from both fossil-fuel based commodity chemicals and products.

#### A two-pronged approach to construct our biosensor




**Strategy 1** will employ transcriptomic profiling of cells exposed to mevalonate to identify promoter with strong expression responses MVA



Transcriptomics (*E. coli/C. auto*) to identify gene responsive to MVA

GFP —


**Strategy 2** will utilize both random and targeted mutagenesis to adapt known transcriptional regulators into responding to mevalonate




Adapted from Liang et al. 2017



#### 1. How to design and operate an electrolyzer and the impact on economics







#### 2. Progress and Outcomes

Year 1 Start Q2 FY22

- ✓ Project kick-off
- ✓ Demonstrate C. auto transformation protocols
- ✓ Run Electrolyzer with CO₂ and 3 ppm H₂S for 250 hours with less than 10% increase in cell voltage

Year 2

- ✓ Demonstrate at least 2X increase in maximum expression level of a reporter gene
- Generate mevalonate biosensor
- Quantify electrolyzer performance as a function of H<sub>2</sub>S concentration (>3 ppm)
- Report optimal operating strategies and system designs for electrolyzers
- Demonstrate membrane regeneration strategies to recover performance within 90% of initial performance.


Year 3 End Q4 FY24

- Reduce CO<sub>2</sub> membrane crossover by 20% in a MEA CO<sub>2</sub> electrolyzer.
- Identify at least 3 near term sites with low carbon electricity and low-cost CO<sub>2</sub> feedstocks to identify opportunities to integrate this technology at scale.
- Increase the carbon conversion efficiency from CO<sub>2</sub> to ethanol and melonic acid by at least 20%.

# 2. Increased durability



#### 100 mA/cm<sup>2</sup> 3ppm of $H_2$ S for up to 3000hr




Go/ No-Go MS (3/30/23): No more than 5% increase in electrolyzer voltage when fed with 3 ppm of  $H_2S$  for 500 hours at 100 mA/cm<sup>2</sup>.




# 2. Improved Membranes







- 2 Ag catalyst layer
- 3 Sustainion® membrane
- 4 IrO2 catalyst layer
- 5 Toray carbon fiber paper









# 2. Summary of H<sub>2</sub>S effect










# 2. Colocalization of Ag(S) Particles in Membrane



#### **SEM-EDX** element localization and quantification



Silver

Sulfur



#### 2. Strain and Fermentation Engineering



#### **NREL**

- MVA Biosensor/selector Tool Development
- Small-scale ALE
- Metabolite, Offgas, and Compositional analyses

#### Lanzatech

- Provide strains and plasmids
- ALE Scale-up
- Next-gen seq sequencing and genome-scale modeling

#### **ORNL**


- Toolbox expansion
  - ➤ High-copy number plasmids
  - Dynamic pathway control (w/ Agile)
  - > Terminators and genetic insulators




#### 2. Adaptive Laboratory Evolution for Enhanced CO Utilization



- We have identified mutants with enhanced growth rate and product formation relative to WT *C. autoethanogenum*.
  - Achieved >57g/L acetate titer under continuous gas feed (CO as sole carbon source)









# 2. Transcriptomic Results From High CO Adapted Mutant







- Comparative genomic analyses have identified candidate mutations conferring enhanced phenotype.
- Currently conducting comparative transcriptomics to identify differentially expressed genes to inform targeted engineering efforts.

# 2. Accomplishments in Task 2




- 1. Establishment of CO delivery/cultivation/fermentation system at NREL
- 2. Reproduction of LT genetic engineering capabilities
- 3. Chemically mutagenized and adapted to low and high-CO electrolytic syngas streams
- 4. Genomic and transcriptional characterization of topcandidate mutant strains
- 5. Physiological characterization (growth rate, substrate utilization, and product formation) of top-candidate mutant strains.
- 6. Initiation of a MVA biosensor development



#### 2. Optimization of System Integration






#### **Economic tradeoff analysis of:**

- Buffer tank storage of feedstock and products
- Battery energy storage to offset high energy costs

#### **Geospatial feasibility and opportunity analysis**


- High concentration CO<sub>2</sub> feedstock stream
- Low-cost wholesale power
- Highly renewable grid






# 3. Impact of CI







CI of ethanol using renewable electricity is magnitudes lower than using U.S. average grid electricity



# 3. Impact - Industrial CO<sub>2</sub> Flue Gas Feedstocks








# 1000L EtOH Fermenter

# 3. Integration and Scaling



# **Summary**

- Integrated 250 cm<sup>2</sup> CO<sub>2</sub> electrolyzer with CSTR
- Improved MEA membranes
- Successfully ran CO<sub>2</sub> electrolyzers with 3 ppm H<sub>2</sub>S for 3000 hours
- Demonstrated transformation and gene expression in C.
   auto
- Adapted *C. auto* using ALE to improve growth on high and low CO gas mixtures
- Identified key genes responsible for enhanced growth phenotype
- Identified process parameters to optimize usage of lowcost renewable electricity to power electrolysis





Michael.resch@nrel.gov
Michael Guarnieri
Marcus Bray
Erick White



Zengcai Liu Rich Masel



Sean Simpson Michael Koepke Steve Brown Jason Bromley



Adam Guss David Cullen

#### **Thank You**

Michael.resch@nrel.gov

This work was authored in part by the National Renewable Energy Laboratory, operated by Alliance for Sustainable Energy, LLC, for the U.S. Department of Energy (DOE) under Contract No. DE-AC36-08G028308. Funding provided by U.S. Department of Energy Office of Energy Efficiency and Renewable Energy Bioenergy Technologies Office. The views expressed in the article do not necessarily represent the views of the DOE or the U.S. Government. The U.S. Government retains and the publisher, by accepting the article for publication, acknowledges that the U.S. Government retains a nonexclusive, paid-up, irrevocable, worldwide license to publish or reproduce the published form of this work, or allow others to do so, for U.S. Government purposes.



#### **Quad Chart Overview**

#### **Timeline**

Start Date: 1/1/2022End Date: 9/30/2024

	FY22 Costed	Total Award
DOE Funding	\$925,000	\$1,750,000
Project Cost Share*	N/A	

TRL at Project Start: TRL at Project End:

Funding Mechanism CO<sub>2</sub> Lab Call FY22

#### **Project Goal**

Incentivize CO<sub>2</sub> Utilization via integration of downstream electrolytic and biocatalytic upgrading of flue gases into fuels and chemical intermediates.

#### **End of Project Milestone**

- 1) Reduce CO<sub>2</sub> membrane crossover by 20% in a MEA CO<sub>2</sub> electrolyzer.
- 2) Identify at least 3 near term sites with low carbon electricity and low-cost CO<sub>2</sub> feedstocks to identify opportunities to integrate this technology at scale.
- 3) Increase the carbon conversion efficiency from  $CO_2$  to ethanol and isoprene by at least 20%. (9/30/2024)

#### **Project Partners**

- Dioxide Materials
- LanzaTech
- Oak Ridge National Lab

# **Electrochemical CO<sub>2</sub> Reduction Gaps**

Technology gaps

Carbon support stability


Heat management

Mass Transport

 Carbon support chemistry

Channel design

- Catalyst stability
- Contaminant tolerance



Technology gaps

- Mechanisms
- pH effects


• Channel design


2H<sub>2</sub>O

Humidification requirement



# 2. CO production cost benefits from 2 hr battery storage






**■** Battery system

■ Electrolysis equipment



# Avoid peak prices during morning and evening demand spikes, charging overnight and midday



Project milestones	Due date	Percent complete	Date Completed	On track?
Establish Material Transfer Agreement for the Transfer of proprietary strains and sequences from LT to ORNL and NREL	03/31/2022	100%	03/31/22	Υ
Run electrolyzer on $H_2S$ . No more than 10% increase in electrolyzer voltage at 200mA/cm <sup>2</sup> when fed with ~3 ppm of H2S for 250 hours	06/30/2022	100%	06/30/2022	Y
Demonstrate at least 2X increase in maximum expression level of a reporter gene by promoter, RBS, mRNA stability, or plasmid copy number engineering.	9/30/2022	100%	12/31/22	Υ
Generate functional mevalonate biosensor. Demonstrate mevalonate-mediated activation of an anaerobic fluorescent reporter cassette in response to exogenously supplemented mevalonate. Strains harboring a functional biosensor will be screened and selected via fluorometry to establish a background chassis for C. autoethanogenum variants with enhanced mevalonate co-production capacity.	12/31/22	50%		N
Quantify $H_2S$ effects on electrolyzer performance. No more than 5% increase in electrolyzer voltage when fed with 3 ppm of $H_2S$ for 500 hours at 100 mA/cm <sup>2</sup> .	3/30/23	75%		Y
Draft technoeconomic analysis report. Draft report summarizing methodologies and assumptions for modeling of a CO2 -> CO electrolyzer system integrated into an existing biorefinery. Report optimal operating strategies and system designs for electrolyzers operating in wholesale power markets in regions with existing biorefineries under current and future market conditions. Report will also summarize spatial analysis of low-cost electricity and high-concentration CO2 resources. Key performance metrics include the levelized production cost of CO in \$/kg CO	6/30/23	50%		Y
Electrolyzer regeneration. Demonstrate membrane regeneration strategies to recover performance within 90% of initial performance.	9/30/23	25%		Y

Milestone Name/Description	Criteria	End Date	Type
Moving to an industrial process	<ol> <li>Reduce CO<sub>2</sub> membrane crossover by 20% in a MEA CO<sub>2</sub> electrolyzer.</li> <li>Identify at least 3 near term sites with low carbon electricity and low cost CO<sub>2</sub> feedstocks to identify opportunities to integrate this technology at scale.</li> <li>Increase the carbon conversion efficiency from CO<sub>2</sub> to ethanol and melonic acid by at least 20%.</li> </ol>	9/30/24	End of Project Milestone


#### Publications, Patents, Presentations, Awards, and Commercialization


Provisional Patent "Clostridium autoethanogenum with enhanced growth rate" Prov/22-91, Patent Application No. 63/412,137

#### **Publications / Presentations:**


- 1. Resch, Michael "Increasing Carbon Efficiencies of Biorefineries" Aug 2022 SIMB Annual Meeting, San Francisco, CA
- 2. Adam Guss. "Using synthetic biology to solve challenges in plastic waste and renewable chemical production". Biological Sciences Departmental Seminar, Missouri S&T, Rolla, MO. September 27, 2022.
- 3. R. Gary Grim, Dwarak Ravikumar, Eric Tan, Zhe Huang, Jack Ferrell, Michael Resch, Zhenglong Li, Chirag Mevawala, Steven D. Phillips, Lesley Snowden-Swan, Ling Tao, and Joshua A. Schaidle. "Electrifying the Production of Sustainable Aviation Fuel: The Risks, Economics, and Environmental Benefits of Emerging Pathways Including CO<sub>2</sub>" Energy & Environmental Science, 2022, DOI: 10.1039/D2EE02439J

#### **Market Trends**

















Closing the carbon cycle



Challenges and costs of biorefinery start-up

Availability of depreciated and underutilized capital equipment

Carbon intensity reduction

Access to clean air and water

Environmental equity

#### NREL's Bioenergy Program Is Enabling a Sustainable Energy Future by Responding to Key Market Needs

#### **Value Proposition**


 By producing valuable products from waste CO<sub>2</sub> this project will incentivize CCU to realize carbon circular economy opportunities


#### **Key Differentiators**


- Utilization of inexpensive feedstocks to produce products with low carbon intensity
- Process integration to link concepts
- Core national lab capability
- Market drive to low carbon fuels and chemicals
- Industrial partners
- Best in class technology


# 2. STEM-EDS Element Quantification


	Cathode		Cathode/Membrane Interface		Anode/Membrane Interface			Anode				
	50 mA/cm <sup>2</sup>	100 mA/cm <sup>2</sup>	200 mA/cm <sup>2</sup>	50 mA/cm <sup>2</sup>	100 mA/cm <sup>2</sup>	200 mA/cm <sup>2</sup>	50 mA/cm <sup>2</sup>	100 mA/cm <sup>2</sup>	200 mA/cm <sup>2</sup>	50 mA/cm <sup>2</sup>	100 mA/cm <sup>2</sup>	200 mA/cm <sup>2</sup>
С	84.47	81.72	79.96	82.12	67.91	89.46	85.99	80.45	78.73	79.69	76.01	79.27
0	4.17	2.41	3.46	1.11	0.59	2.27	10.40	1.91	16.65	14.15	15.06	17.06
S	0.46	0.31	0.61	1.01	6.45	2.06	0.01	4.43	0.66	0.12	0.61	0.20
Ag	10.86	15.51	15.91	12.69	24.78	6.08	0.02	12.73	0.14	0.52	1.13	0.24
Ir	0.01	0.00	0.01	0.02	0.03	0.05	3.55	0.21	3.78	5.47	7.15	3.23











#### 2. H<sub>2</sub>S effect over 250 hours





#### Q4 FY22 Milestone Met

- no more than 10% increase in electrolyzer voltage at 200 mA/cm<sup>2</sup> when fed 3ppm
   H<sub>2</sub>S for 250 hours
- Cell voltage increased from 3.04 to 3.20V, by 5.3%

#### Cell conditions

- Membrane thickness 70um
- 200mA/cm2
- 3ppm H2S







# Electrolyzer Regeneration/elimination strategies


- Noticeable degradation in the presence of H<sub>2</sub>S
  - Cell voltage increased with time
  - Conversion of CO<sub>2</sub> to CO Decreased over time.
    - Leakage current developed at higher current of 200mA/cm<sup>2</sup>
- Possible reasons
  - Chemical effects
    - H<sub>2</sub>S interaction with Ag
    - Switching to pure CO<sub>2</sub>
      - Cell voltage decreased/ performance returned
  - Physical effects
    - Improve membrane properties
  - Anolyte
    - pH and conductivity decrease due to migration of HS<sup>-</sup> (from cathode to anode) and K<sup>+</sup> (from anode to cathode)
  - carbon corrosion in anode
    - Plan to replace carbon substrate



#### 2. Development of Genetic Tools in C. auto



Y-FAST promoter data for C. autoethanogenum



Milestone met FY22 Q4: Demonstrate at least 2X increase in maximum expression level of a reporter gene



# **Next steps for analysis**




- Continued collaboration with other CO<sub>2</sub>RUe analysis projects and teams:
  - Low carbon electricity price datasets (current and future) with Markets-EEJ project
  - Insights from TEA/LCA project for cost drivers that are beyond the scope of this work but could impact electrolyzer integration and operation with fermenter
- Analysis of key cost drivers for CO<sub>2</sub> -> CO electrolyzer
- Identify two biorefinery locations and model bolt on conversion technology



# **Slide Title**



Analysis and Modeling



CO2 Electrolysis



Biological Upgrading

